# MATERION

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Antimony

Other means of identification

SDS number 1BI Materion Code 1BI

**CAS number** 7440-36-0

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

**United States** 

**Telephone** 414.212.0257

**E-mail** advancedmaterials@materion.com

Contact person Noreen Atkinson

Emergency phone number Chemtrec 800.424.9300

#### 2. Hazard(s) identification

Physical hazards Flammable solids Category 2

Health hazards Serious eye damage/eye irritation Category 2B

Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Flammable solid. Harmful if swallowed. Causes severe skin burns and eye damage. Causes

serious eye damage. Harmful if inhaled. May cause damage to organs (respiratory system) through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long

lasting effects.

Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

#### 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Antimony		7440-36-0	90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not use

mouth-to-mouth method if victim inhaled the substance. Call a physician or poison control center

immediately.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

blurred vision. Coughing. Prolonged exposure may cause chronic effects.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Corrosive effects. May cause temporary blindness and severe eye damage. Dizziness. Headache.

Nausea, vomiting. Diarrhea. Symptoms may include stinging, tearing, redness, swelling, and

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media
Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

clothing will only provide limited protection.

Fire fighting equipment/instructions

so without risk. Water runoff can cause environmental damage.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move

container from fire area if it can be done without risk. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe

fumes.

General fire hazards Flammable solid.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

# Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

## **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### 7. Handling and storage

#### Precautions for safe handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Explosion-proof general and local exhaust ventilation. Do not get this material in contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value
Antimony (CAS 7440-36-0)	PEL	0.5 mg/m3
US. ACGIH Threshold Limit Values		
Material	Туре	Value
Antimony (CAS 7440-36-0)	TWA	0.5 mg/m3
US. NIOSH: Pocket Guide to Chemical Ha	azards	
Material	Туре	Value
Antimony (CAS 7440-36-0)	TWA	0.5 mg/m3
US. California Code of Regulations, Title 8	3, Section 5155. Airborne Contaminants	S
Material	Туре	Value
Antimony (CAS 7440-36-0)	PEL	0.5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

#### Appropriate engineering controls

Ventilate as needed to control airborne dust. Use explosion-proof ventilation equipment if airborne

dust levels are high.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

Wear eye/face protection. Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron is recommended. It may provide

little or no thermal protection. Wear protective gloves.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Do not get this material on clothing. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking.

#### 9. Physical and chemical properties

**Appearance** Powder. Solid. Physical state Solid. **Form** 

Color Not available. Odor Not available. Odor threshold Not available. Not available. 1166 °F (630 °C) Melting point/freezing point Initial boiling point and boiling

range

2975 °F (1635 °C)

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

< 0.0000001 kPa at 25 °C Vapor pressure

Not available. Vapor density Relative density Not available.

Solubility(ies)

Insoluble Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not available.

SDS US Material name: Antimony

Not available. Decomposition temperature Viscosity Not available.

Other information

6.68 g/cm3 estimated at 25 °C Density

**Explosive properties** Not explosive.

Molecular formula Sb

121.75 g/mol Molecular weight Oxidizing properties Not oxidizing 6.68 at 25 °C Specific gravity

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Risk of ignition.

Possibility of hazardous

reactions

Conditions to avoid Heat, flames and sparks. High temperatures. Contact with incompatible materials.

Hazardous polymerization does not occur.

Incompatible materials Acids. Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Causes severe skin burns.

Eye contact Causes severe eye burns. Causes serious eye damage. Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the Burning pain and severe corrosive skin damage. Headache. Dizziness. Nausea, vomiting. physical, chemical and Diarrhea. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and

discomfort. Permanent eye damage including blindness could result. Coughing. toxicological characteristics

Information on toxicological effects

Acute toxicity Causes severe skin burns and eye damage. Harmful if inhaled. Harmful if swallowed.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

SDS US Material name: Antimony

1BI Version #: 02 Revision date: 01-09-2018 Issue date: 08-26-2015

Specific target organ toxicity -

repeated exposure

May cause damage to organs (respiratory system) through prolonged or repeated exposure.

**Aspiration hazard** Due to lack of data the classification is not possible.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

## 12. Ecological information

**Ecotoxicity**Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product Species Test Results

Antimony (CAS 7440-36-0)

Aquatic

Fish LC50 Sheepshead minnow (Cyprinodon 6.2 - 8.3 mg/l, 96 hours

variegatus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

UN number UN2871

UN proper shipping name

Antimony powder

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP3, T1, TP33

Packaging exceptions 153
Packaging non bulk 213
Packaging bulk 240

IATA

UN number UN2871

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

UN proper shipping name

Antimony powder

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 6L

Special precautions for user

Other information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN2871

UN proper shipping name A Transport hazard class(es)

ANTIMONY POWDER

Class 6.1(PGIII)

Subsidiary risk - Packing group III

**Environmental hazards** 

Marine pollutant No. EmS F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

#### DOT



IATA; IMDG



# 15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Antimony (CAS 7440-36-0) Listed.

SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Antimony
 7440-36-0
 90 - 100

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Antimony (CAS 7440-36-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Priority pollutant

Section 112(r) (40 CFR

Toxic pollutant

68.130)

Safe Drinking Water Act

0.006 mg/l

(SDWA)

0.006 mg/l

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Antimony (CAS 7440-36-0)

#### 16. Other information, including date of preparation or last revision

 Issue date
 08-26-2015

 Revision date
 01-09-2018

Version # 02

Disclaimer Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.